

# CONTENTS

3	DIE GRINDERS
6	IMPACT WRENCHES
7	RATCHET WRENCHES
11	CHIPPING HAMMERS
15	DRILLS
16	ANGLE GRINDERS
20	NEEDLE SCALER
21	SCREWDRIVERS
23	GREASE GUN
24	SAW
25	POP RIVET GUN
26	ENGRAVING PEN
27	SANDER

# ULTIMATE AIR TOOLS

Part no. UDG14061

**DIE**

## **Features:**

This short model grinder allows effective application in most cases. It is easily operated and has a comfortable grip.

## **Specifications:**

Collet: \_"

Free speed: 25000 RPM

Av. Air Cons: 10 CFM

Air Inlet Size: \_"

Length: 152 mm

Net Weight: 0.43



# ULTIMATE AIR TOOLS

Part no. UED14931

## DIE GRINDER –

### Features:

This extended model is most suitable for internal grinding and areas that can not be reached using the short model.

### Specifications:

Collet size: \_”

Free speed: 22 000 RPM

Av. Air Cons: 14CFM

Air Inlet Size: \_”

Length: 280 mm

Net Weight: .8 kg



# ULTIMATE AIR TOOLS

Part no. UAD14062

## DIE GRINDER –

### Features:

This angle head model is often the most suitable for grinding bottom areas in cavities and for similar operations.

### Specifications:

Collet size: \_”

Free speed: 18000 RPM

Av. Air Cons: 14 CFM

Air Inlet Size: \_”

Length: 177mm

Net Weight: 0.77kg



# ULTIMATE AIR TOOLS

Part no. UIW260

## IMPACT WRENCH \_”

### **Features:**

This impact wrench has twin hammer mechanism which reaches maximum torque fast with low vibration. It has a built-in power regulator, a protective rubber nose guard and reversible action. Its application is ideal for all major automotive service work, body shop, farm and light trucking.

### **Specifications:**

Twin hammer mechanism

Square Drive: \_”

Net Weight: 1.9kg

Air Inlet: 1/4”

Air Pressure: 90 psi

Max. Torque: Forward 50-600ft/lb, Reverse 950ft/lb

Hose Size: 3/8

Free Speed: 7500 RPM



# ULTIMATE AIR TOOLS

Part no. URW103A

## RATCHET WRENCH

### Features:

This 3/8" ratchet wrench contains ball and needle construction for long life. It has a ball detent socket retainer, hardened steel gears, reversible action and a durable ratchet head. The easy speed control throughout ranges allows fast run-down to speed-up tightening operations. Its application is ideal for small engine repairs, spark plug, water pump work, body work, radiator and air condition removal and replacement.

### Specifications:

Square drive: 3/8"

Max. Torque: 25 ft/lb

Length: 162mm

Hose Size: 3/8"

Air Inlet : \_"

Net Weight: 0.5kg

Avg. Air Cons:3cfm

Speed: 250 RPM

Air Pressure:90 PSI



# ULTIMATE AIR TOOLS

Part no. URW107A

## RATCHET WRENCH

### Features:

This 3/8" ratchet wrench contains ball and needle construction for long life. It has a ball detent socket retainer, hardened steel gears, reversible action and a durable ratchet head. The easy speed control throughout ranges allows fast run-down to speed-up tightening operations. Its application is ideal for small engine repairs, spark plug, water pump work, body work, radiator and air condition removal and replacement.

### Specifications:

Square drive: 3/8"

Max. Torque: 50 ft/lb

Length: 265mm

Hose Size: 3/8"

Air Inlet : \_"

Free Speed: 175 RPM

Net Weight: 1.17kg

Avg. Air Cons: 10 CFM

Air Pressure: 90 psi



# ULTIMATE AIR TOOLS

Part no. URW207A

## RATCHET WRENCH

### Features:

This 1/2" ratchet wrench contains ball and needle construction for long life. It has a ball detent socket retainer, hardened steel gears, reversible action and a durable ratchet head. The easy speed control throughout ranges allows fast run-down to speed-up tightening operations. Its application is ideal for small engine repairs, spark plug, water pump work, body work, radiator and air condition removal and replacement.

### Specifications:

Square drive:  $\frac{1}{2}$ "  
Max. Torque: 50 ft/lb  
Length: 265mm  
Hose Size: 3/8"  
Air Inlet :  $\frac{1}{4}$ "  
Free Speed: 175 RPM  
Net Weight: 1.17kg  
Avg. Air Cons: 10 CFM  
Air Pressure: 90 psi



# ULTIMATE AIR TOOLS

Part no. UFC1270

**FLUX**

## **Features:**

This flux chipper is low in noise and vibrations. It delivers powerful blows whilst allowing excellent control. It is designed for fast and effective flux and spatter removal and general scaling operations.

## **Specifications:**

Blows: 4200

Bore/Stroke: 25 x 34mm

Noise Level: 90.3 dba

Air Inlet Size: \_"

Length: 216mm

Net Weight: 1.5kg



# ULTIMATE AIR TOOLS

Part no. UCH1810

## VIBRATION DAMPENED CHIPPING

**Features:** These tools are ideal for front end and heavy duty automotive work as well as Industrial applications. Included in the design is a vibration dampening system giving much greater comfort to the user when used for extended periods of time.

**Specifications:**

**Shank Type: Round**

**Chisel Shank: 10mm**

**Bore Diameter: 19.05mm**

**Piston Stroke Length: 81mm**

**Blow Per Minutes: 2,500 Bpm**

**Air Inlet: 1/4"**

**Air Hose: 3/8"(I.d.)**

**Air Pressure: 90 Psi**

**Air Consumption: 4.6Cfm(130 L/Min)**

**Net Weight: 2.4Kgs**

**Overall Length: 240 mm**

**Sound Level: 113 dBA**

**Vibration: 3.5 M/S<sup>2</sup>**



# ULTIMATE AIR TOOLS

Part no. UAG5032

## ANGLE GRINDER

### Features:

This grinder was designed for fast removal of metal in confined spaces. It has an aluminium alloy housing for lightweight and operator comfort. The spiral bevel gearing in angle head provides extended angle head life and smooth low vibration. It contains heavy duty ball bearing construction for vibration free performance. The auxiliary side handle allows for increased control and the adjustable wheel guard permits higher accessibility.

### Specifications:

Net Weight: 1.4kg

Avg. Air Cons: 34 cfm

Air Inlet : \_"

Free Speed: 10900 RPM

Hose Size: 3/8"

Air Pressure: 90 psi



# ULTIMATE AIR TOOLS

Part no. UAG7032

## ANGLE GRINDER

### Features:

This grinder was designed for heavy duty grinding with a very high removal rate. It is useful for fast removal of metal in confined spaces. It has an aluminium alloy housing for lightweight and operator comfort. The spiral bevel gearing in angle head provides extended angle head life and smooth low vibration. It contains heavy duty ball bearing construction for vibration free performance. The auxiliary side handle allows for increased control and the adjustable wheel guard permits higher accessibility.

### Specifications:

Disc Size: 7"

Net Weight: 2.9 kg

Avg. Air Cons: 57 CFM

Air Inlet : 1/2"

Free Speed: 7600 RPM

Hose Size: 1/2"

Air Pressure: 90 psi



# ULTIMATE AIR TOOLS

Part no. UNS1020

## NEEDLE SCALER

### Features:

This tool is ideal for de-slugging, cleaning, castings, bricks, de-sputtering welds and cleaning rust. Maximum performance in a lightweight air tool. They get deep into any corners, all the way on uneven surfaces, all types of curvatures, making it a tool no shop should be without.

### Specifications:

Needle size: 3mm X 180mm

Length: 345mm

Needle Stroke: 17mm

Piston diameter: 20mm

Hose size: 3/8"

Net Weight: 2.4kg

Air Pressure: 90 psi



# ULTIMATE AIR TOOLS

Part no. USD208

## SCREWDRIVER

### **Features:**

This general purpose screwdriver features a unique handle design allowing low grip to reduce reaction strain or high grip to allow high feed force. It is fitted with a soft ergonomic grip giving the tool a comfortable feel. The slip clutch makes it suitable for an extensive range of applications including assembly line production.

### **Specifications:**

Torque Range: 5-16Nm

Free Speed: 800 RPM

Rec. Air Hose: 3/8"

Weight: 1.3kg



# ULTIMATE AIR TOOLS

Part no. USD1379

## SCREWDRIVER

### **Features:**

This general purpose screwdriver features a unique handle design allowing low grip to reduce reaction strain or high grip to allow high feed force. It is fitted with a soft ergonomic grip giving the tool a comfortable feel. The slip clutch makes it suitable for an extensive range of applications including assembly line production.

### **Specifications:**

Torque Range: 3-13Nm

Free Speed: 1800RPM

Air Cons: 4CFM

Rec. Air Hose: 3/8"

Weight: 1.1 kg



# ULTIMATE AIR TOOLS

Part no. UGG6201

## GREASE GUN

### **Features:**

This pistol-type pneumatic grease gun allows continuous operation and offers high pressure performance. It features a heavy duty cartridge spring for prime retention and a unique air piston design ensuring self priming.

### **Specifications:**



# ULTIMATE AIR TOOLS

Part no. USS2010

## BODY SAW /

### Features:

Ideal for body shop repairs, muffler and exhaust work, plastic, steel and fibre glass. Lightweight slim design for cutting in confined areas. Positive blade retention with adjustable blade guide to increase blade life and set to depth of cut.

### Specifications:

Collet size: \_"  
Free speed: 18000 RPM  
Av. Air Cons: 14 CFM  
Air Inlet Size: \_"  
Length: 177mm  
Net Weight: 0.77kg



# ULTIMATE AIR TOOLS

Part no. UPR8395

## RIVETER

### Features:

This powerful and durable pop riveter is a high quality pneumatic tool allowing high speed assembly production. Is able to access confined spaces and performs well at any angle. It provides quick, quiet and comfortable operation preventing user fatigue.

### Specifications:

Rivet Capacity: 5mm aluminium, 4mm stainless steel

Overall Length: 220mm x 200mm

Net Weight: 1 kg

Air Inlet Thread : \_"

Air Hose I.D. Size: 3/8"

Air Pressure: 90 psi



# ULTIMATE AIR TOOLS

Part no. UEP100

## ENGRAVING PEN

### Features:

These are comfortable, easy to use tools for scribing/marketing of products and tools for identification purposes. Will write on all metals, even hardened H.S Steel, ceramics, plastic, glass and stone.

### Specifications:

Free Speed: 15000 RPM

Throttle Type: Twist

Air Inlet: \_"

Hose Length: 1.5M

Weight: 0.24kg



# ULTIMATE AIR TOOLS

Part no. UOS2011

## SANDER 6"

### Features:

The random orbit action of this sander leaves no swirl marks for a superior quality finish. The compact size, light weight and low vibrating action of this sander make it one of the leading finishing sanders on the market. This sander can be used for an extensive range of applications including the finish of wood and fibreglass and is ideal for metal surfaces for rust removal and smoothing.

### Specifications:

Pad Size:6"

Avg. Air Cons:18CFM

Air Pressure:90PSI

Free Speed:10 000RPM

Hose Size:3/8"

Net Weight:2.18kg

Air Inlet:1/4"

Orbit diam: 5mm

